

Draft National Restoration Plans dataflow - testing 2026

Geospatial dataflow

EEA NRR team / 13th February 2026

Agenda

- Introduction to the webinar (5 min)
- Geospatial Concepts and Formats (25 min)
- Reportnet 3 Upload and Validation of Geospatial Datasets (25 min)
- Frequently Asked Questions to the NRR Helpdesk (5 min)
- Questions & Answers (30 min)




What is the webinar about?

Overview of the Geospatial dataflow and how it is handled
in Reportnet 3 for the draft NRP dataflow

Presentation - questions and answers

Meeting duration 1.5 hours

The meeting is recorded and published on the
NRR Reference Portal together with this
presentation



Who are we?



**Alexandra
Papanikolaou**



**Cinzia
Pastorello**



**Eirini
Glyki**



**Ine
Vandecasteele**



**Jonathan
Maidens**



**Kristian
Kvist**



**Ludvig
Forslund**



**Pavel
Milenov**



**Piotr
Piorkowski**



**Yurena
Lorenzo**

Updates

- [Technical Reporting Manual](#) – second version for the testing period:
 - Extended with details on the geospatial dataflow (published 9th February)
 - Part C test dummy data is updated and aligned.
 - Zipfile available in RN3 “supporting information”
 - Additional updates foreseen before the opening of the official dataflow in April
- [Article 5 Geospatial DM](#) updated – Now including with Marine Reporting Units as an optional field
- [Article 8 Geospatial DM](#) published
- [Article 9 Geospatial DM](#) published
- The three corresponding Extended Template tables will be made available next week

Status of test NRP dataflow

Uniform format	Reportnet 3	Descriptive	Geospatial
Part A	Part A and Additional Information I		Not applicable
Part B	Part B - Article 4		
	Part B - Article 5 and Additional Information II		Updates not available in test
	Part B - Article 8 and Additional Information III		Not available in test
	Part B - Article 9 and Additional Information IV		Not available in test
	Part B - Article 10		
	Part B - Article 11		
	Part B - Article 12		
	Part B - Article 13		Not applicable
Part C	Part C		

Support

Supporting material

- [NRP preparation tool](#) (Data models, Reference lists, Extended templates)
- [Explanatory notes](#)
- [Technical Reporting Manual](#) – second version for the testing period:
- All supporting material in the [NRR Reference Portal](#)

Meetings

- Second Geospatial webinar in March focusing on article 8 and 9
 - Please let us know if you would be interested

Helpdesk - nature.restoration.helpdesk@eea.europa.eu



Geospatial Concepts and Formats

Geospatial Data Categories

Geospatial Data category	Import formats	Export formats	Reference
NUTS3 2024	CSV, Excel file, Extended Template	CSV, Excel file	ESTAT GISCO Territorial units for statistics (NUTS)
GRID 10 km	CSV, Excel file, Extended Template, Geopackage file	CSV, Excel file, Geopackage file	EEA SDI Reference grid
GRID 1 km	CSV, Excel file, Extended Template, Geopackage file	CSV, Excel file, Geopackage file	
Vector: Isolated Polygons	Geopackage file	N/A	-
Vector: Lines	Geopackage file	N/A	-
Vector: Points	Geopackage file	N/A	-

Geospatial Data Categories

Article	Reference	NUTS3	Grid 10km	Grid 1km	Isolated Polygons	Vector lines	Vector Points	Raster (10m)	Geospatial Reporting Table Options
4 Terrestrial, coastal and freshwater ecosystems									
6.2.2.3	Indicative maps of potential areas subject to restoration measures (Art.15(3)(a)) - habitat condition by 2030	✓	✓	✓	✓				t6_ImprHabCondNuts3, t6_ImprHabCondGridCells, t6_ImprHabCondPolygons
6.3.1.5	Indicative maps of potential areas - habitat's condition by 2040 and 2050	✓	✓	✓	✓				
6.2.4.6	Indicative maps of potential areas subject to restoration measures - habitats area up to 2030	✓	✓	✓	✓				t6_ReEstabHabAreaNuts3, t6_ReEstabHabAreaGridCells, t6_ReEstabHabAreaPolygons
6.3.2.4	Indicative maps of potential areas - habitats area up to 2040 and 2050	✓	✓	✓	✓				
6.2.5.4	Indicative maps of potential areas subject to restoration measures - habitats of species up to 2030	✓	✓	✓	✓				t6_RestHabOfSpeciesNuts3, t6_RestHabOfSpeciesGridCells, t6_RestHabOfSpeciesPolygons
6.3.3.2	Indicative maps of potential areas - habitats of species up to 2050	✓	✓	✓	✓				

Geospatial Data Categories

Article	Reference	NUTS3	Grid 10km	Grid 1km	Isolated Polygons	Vector lines	Vector Points	Raster (10m)	Geospatial Reporting Table Options
4 Terrestrial, coastal and freshwater ecosystems									
6.2.2.3	Indicative maps of potential areas subject to restoration measures (Art.15(3)(a)) - habitat condition by 2030	✓	✓	✓	✓				t6_ImprHabCondNuts3, t6_ImprHabCondGridCells, t6_ImprHabCondPolygons
6.3.1.5	Indicative maps of potential areas - habitat's condition by 2040 and 2050	✓	✓	✓	✓				
6.2.4.6	Indicative maps of potential areas subject to restoration measures - habitats area up to 2030	✓	✓	✓	✓				t6_ReEstabHabAreaNuts3, t6_ReEstabHabAreaGridCells, t6_ReEstabHabAreaPolygons
6.3.2.4	Indicative maps of potential areas - habitats area up to 2040 and 2050	✓	✓	✓	✓				
6.2.5.4	Indicative maps of potential areas subject to restoration measures - habitats of species up to 2030	✓	✓	✓	✓				t6_RestHabOfSpeciesNuts3, t6_RestHabOfSpeciesGridCells, t6_RestHabOfSpeciesPolygons
6.3.3.2	Indicative maps of potential areas - habitats of species up to 2050	✓	✓	✓	✓				

Geospatial Data Categories

Article	Reference	NUTS3	Grid 10km	Grid 1km	Isolated Polygons	Vector lines	Vector Points	Raster (10m)	Geospatial Reporting Table Options
4 Terrestrial, coastal and freshwater ecosystems									
6.2.2.3	Indicative maps of potential areas subject to restoration measures (Art.15(3)(a)) - habitat condition by 2030				✓				t6_ImprHabCondPolygons
6.3.1.5	Indicative maps of potential areas - habitat's condition by 2040 and 2050				✓				
6.2.4.6	Indicative maps of potential areas subject to restoration measures - habitats area up to 2030	✓	✓	✓	✓				t6_ReEstabHabAreaNuts3, t6_ReEstabHabAreaGridCells, t6_ReEstabHabAreaPolygons
6.3.2.4	Indicative maps of potential areas - habitats area up to 2040 and 2050	✓	✓	✓	✓				
6.2.5.4	Indicative maps of potential areas subject to restoration measures - habitats of species up to 2030	✓	✓	✓	✓				t6_RestHabOfSpeciesNuts3, t6_RestHabOfSpeciesGridCells, t6_RestHabOfSpeciesPolygons
6.3.3.2	Indicative maps of potential areas - habitats of species up to 2050	✓	✓	✓	✓				

Live Poll during webinar

**What geospatial format are you planning to use
(for the tables where options are available)?**

030

NUTS3



GRID 10km



GRID 1km



Isolated polygons



Mixed (depending on article)



Import Format: CSV, Excel file, Extended Template

- For the NUTS3 and GRID Geospatial Data categories
- Similar to descriptive data
- With a reference to a geospatial unit

In the case of using higher resolution NUTS3 datasets (<1:1000,000) for aggregation

- No issue for the reporting as long as the NUTS IDs are identical
- On EEA side however, they will be linked to the 1:1000,000 scale units

t14_5_2_MeasuresNuts3

measure_id	nuts3_ids	area
ITMEAS-ALFA	nuts2024.ITF61	3
ITMEAS-BRAVO	nuts2024.ITH33	2
ITMEAS-CHARLIE	nuts2024.ITI32	8
ITMEAS-DELTA	nuts2024.ITI43	5
ITMEAS-ECHO	nuts2024.ITF52	7
ITMEAS-FOXTROT	nuts2024.ITC32	2

t14_5_2_MeasuresGridCells

measure_id	gridcell_code	area
ITMEAS-ALFA	10kmE434N244	7
ITMEAS-ALFA	10kmE434N243	3
ITMEAS-ALFA	10kmE434N242	2
ITMEAS-BRAVO	10kmE434N241	5
ITMEAS-BRAVO	10kmE433N240	3
ITMEAS-BRAVO	10kmE434N240	5
ITMEAS-CHARLIE	10kmE434N243	7
ITMEAS-CHARLIE	10kmE434N242	5
ITMEAS-CHARLIE	10kmE434N241	4
ITMEAS-DELTA	10kmE434N244	3
ITMEAS-DELTA	10kmE434N242	2
ITMEAS-DELTA	10kmE434N241	7
ITMEAS-DELTA	10kmE434N240	8
ITMEAS-ECHO	10kmE434N240	1

Import Format: Geopackage

Geopackages

- Open-source format geospatial vector data
- Similar to Shapefiles and ESRI File Geodatabase

Available spatial reference systems

- EPSG: 3035 (<https://epsg.io/3035> - Projected ETRS89-extended / LAEA Europe)
- EPSG: 4258 (<https://epsg.io/4258> - European geodetic ETRS89)
- EPSG: 4326 (<https://epsg.io/4326> - World Geodetic System WGS84)

Naming and Structure

- Geopackage file: `[article_table].gpkg`
- Only one table inside each geopackage using the same name: `[article_table]`

▼  `t14_5_2_measurespolygons.gpkg`
▶  `t14_5_2_measurespolygons`



Geopackage: Attribute tables

Mandatory fields

- Two fields are required for all Geopackages
 - To ensure basic functionality
 - Not listed in the Data Models or related Extended Templates
- **fid [feature_id]**
 - Internal identifier of the individual geometry
 - Must be a unique integer, starting from 1 and up to n number of geometries.
 - **geometry**
 - storing the vector geometries
 - geometry type (Point, Line, Multipolygon, etc.) assigned .
 - Usually not visible in the attribute table in GIS software



Geopackage: Attribute tables

Specific fields

- Relative to each table in the geospatial data models,
- additional tabular data shall be provided in the corresponding attribute table.

Examples

- **area**
 - The true area represented by the spatial unit
 - It can be smaller or equal to the total area of the polygon, but never larger
- **year**
 - Specifies the target reference year (e.g. 2030, 2040, 2050)
- **euBarrierCode**
 - Specifies the Thematic ID barrier code listed in the descriptive data for each vector point.
 - Consistency with the barriers listed in descriptive data is checked
- **habitat_group**
 - Specifies the habitat groups related to the article. Checks consistency with related field in descriptive data



Geopackage: Attribute tables

New Table ×

Name

Name	Type	Provider type	Length	Precision	Comment
123 fid	Integer (32 bit)	integer	0	0	
123 area	Integer (32 bit)	integer	0	0	
123 year	Integer (32 bit)	integer	0	0	
abc habitat_group	Text (string)	string	20	0	
abc MRU	Text (string)	string	20	0	

Geometry type

Geometry column name

Dimensions Include Z dimension Include values (M)

CRS  

Create spatial index



Update on Article 8 & 9 geospatial

- Data Models (DM) published
 - Extended Templates (ET) coming next week
- Implementation in Reportnet 3 ongoing
- Potentially a separate testing dataflow opening in March
 - If so, more info will be announced
- Second webinar focusing on article 8 & 9 geospatial in March

Update on Article 8 geospatial

Article	Reference	NUTS3	Grid 10km	Grid 1km	Isolated Polygons	Vector lines	Vector Points	Raster (10m)	Geospatial Reporting Table Options
8 Urban Ecosystems									
8.2.1.2	Indicative areas (or description) of areas subject to restoration measures to meet the restoration target of 'no net loss' (Art.15(3)(a))	✓	✓	✓	✓				t8_Art8Nuts3, t8_Art8GridCells, t8_RestorationPolygons
8.2.2.2	Indicative maps or description of potential areas subject to restoration measures to achieve an increasing trend in the total national area of urban green space (Art.15(3)(a)) (optional)	✓	✓	✓	✓				
8.2.2.4	Indicative areas (maps or description) subject to restoration measures to achieve an increasing trend in the urban tree canopy cover for each urban ecosystem area (Art.15(3)(a)) (optional)	✓	✓	✓	✓				
8.1.2.4	If b) is selected in 8.1.2.1, map of urban ecosystem areas. In this case, information in Additional Information III should also be provided				✓				t8_UEAPolygons
8.1.3.2	Area and map of national share of urban green space in urban ecosystem areas at the time of entry into force of the Regulation				✓				
8.1.3.3	Area and map of national tree canopy cover in urban ecosystem areas at the time of entry into force of the Regulation				✓				
8.1.3.1	Supplementary data beyond Copernicus were used for the estimate of urban green space and/or tree canopy cover, in accordance with Art. 3(20) and (21) - if a) is 'yes', metadata, supplementary data and justification to be provided							✓	t8_beyondCLMSUGSRaster, t8_beyondCLMSTCCRaster

Update on Article 9 geospatial

Article	Reference	NUTS3	Grid 10km	Grid 1km	Isolated Polygons	Vector lines	Vector Points	Raster (10m)	Geospatial Reporting Table Options
9 Natural connectivity of rivers and natural functions of the related floodplains									
9.2.1.2	Indicative map of potential free-flowing rivers to be restored from 2020 to 2030 (Art.15(3)(a))					✓			t9_Art9Lines
9.2.1.4	Indicative map of free-flowing rivers baseline in 2020					✓			
9.3.1.2	Indicative maps of potential free-flowing rivers after June 2032 (optional)					✓			
9.2.2.2	Indicative map of potential areas subject to restoration measures - up to 2030				✓				t9_Art9Polygons
9.3.2.2	Indicative maps of potential areas subject to restoration measures to improve the natural functions of related floodplains (Art. 15(3)(a)) - after June 2032 (optional)				✓				
AI IV 4.3	Location of the barrier				✓	✓	✓		t18_BarrierPoint, t18_BarrierPolygon, t18_BarrierLine

Article 8 Rasters - Concept

- Instructions will be added in the Technical Reporting Manual
- Uploaded in RN3 as attachment (exact function pending)
- **Raster templates** will be provided
 - Ensuring structured data
 - Configured according to parameters in table
 - MS updates template with UGS and TCC values

Parameter	Value
Projection	LAEA (EPSG: 3035)
Pixel/cell size	10x10 metre
Pixel alignment	x, y origin (anchor)
Format	GeoTIFF
Bit-depth	UINT-8
Compression	LZW


Article 8 Rasters Template - Concept

MS Raster Template
[MS receives]



● Template (inside MS)

MS Urban Tree Canopy Cover
[MS reports back]



● Trees (inside LAU/UEA)

● No trees (inside LAU/UEA)

● Outside LAU/UEA

Live Poll during webinar

What are your current plans for monitoring Urban Green Space and Tree Canopy Cover?

0 2 3

Use the pre-existing data derived from CLMS datasets (CLCplus Backbone & Tree Cover Density)




Go "beyond Copernicus" and use national monitoring products




Reportnet3 Upload and Validation of Geospatial Datasets

Reportnet 3

<https://reportnet.europa.eu/>



The screenshot shows the Reportnet 3 website homepage. At the top, there is a navigation bar with the Reportnet logo and a 'Login' button. Below this, a large banner features a network diagram with nodes and connecting lines in shades of blue and yellow. The main content area is divided into two columns of text. The left column is titled 'The next generation for e-Reporting environmental and climate data' and describes the platform's role in reporting environmental and climate data to the European Environment Agency (EEA). The right column discusses the transition from Reportnet 2 to Reportnet 3, noting that Reportnet 2 will remain operational until all data flows are migrated. A 'Need any help?' section provides contact information for the helpdesk. Below that, a 'Supporting documents:' section lists links for Login, Reporter, Requester, Webforms, and API.



The screenshot shows the Reportnet 3 login page. At the top, a message states 'Reportnet 3 requires you to authenticate'. Below this, the heading 'Sign in to continue' is displayed. The main content area is titled 'Welcome back' and shows the user's email address 'msfdreportnet3login@gmail.com (External)'. There is a link to 'Sign in with a different e-mail address?'. A 'Password' field is present, followed by a 'Lost your password?' link. Below the password field, there is a section for 'Choose your verification method' with a dropdown menu currently set to 'Password'. A 'Sign in' button is located at the bottom right of the form.

Role: **CUSTODIAN** Delivery date: **2026-08-18**

 **[COUNTRY TEST] National Restoration Plans (Big Data)**

Test dataflow opened to countries for testing of the Draft National Restoration Plans. Testing opens December 2025 Cloned from M ASTER version v0.8-11-12-2025

Legal instrument: **Nature Restoration Law**

Obligation: **National Restoration Plans**

Delivery status: **MULTIPLE**

Dataflow status: **OPEN**

Guidance on getting EU login and registering on platform can be found in the HowTo on the main page

<https://reportnet.europa.eu/>

two-factor verification on a mobile phone for the EU login

“Geospatial” articles and datasets


- GEO Part B - Article 04
- GEO Part B - Article 05 and Additional Info II
- GEO Part B - Article 10
- GEO Part B - Article 11
- GEO Part B - Article 12

The same steps are followed as for the “Descriptive Data” and as detailed in the ‘Reporting Manual’.
The difference being the schemas and the quality control checks.

- GEO Part C

Upcoming:

- GEO Part B - Article 8 and Additional Info III
- GEO Part B - Article 9 and Additional Info IV



Reportnet 3 > Dataflows > Dataflow > Test datasets

Pavel Milenov

Test dataset

Dataflow (Big Data)

Dataflow help

Test Dataset - DESC Part A and Additional Info I

Test Dataset - DESC Part B - Article 04

Test Dataset - DESC Part B - Article 05 and Additional...

Test Dataset - DESC Part B - Article 08 and Additional...

Test Dataset - DESC Part B - Article 09 and Additional...

Test Dataset - DESC Part B - Article 10

Test Dataset - DESC Part B - Article 11

Test Dataset - DESC Part B - Article 12

Test Dataset - DESC Part B - Article 13

Test Dataset - DESC Part C

Test Dataset - GEO Part B - Article 04

Test Dataset - GEO Part B - Article 05 and Additional...

Test Dataset - GEO Part B - Article 10

Test Dataset - GEO Part B - Article 11

Test Dataset - GEO Part B - Article 12

Test Dataset - GEO Part C

Test Dataset - Uniform Format export

Art. 8

Art. 9

Reportnet 3 > Dataflows > Dataflow > Test datasets > Dataset

GEO Part B - Article 12

[COUNTRY TEST] National Restoration Plans - Test dataset (Big Data)

Import dataset data | Export dataset data | Delete dataset data

Imported files | Validate | Show validations | QC rules | Dashboards | Manage copies | Refresh | Enable editing

t12_2_Art12Nuts3 | t12_2_Art12GridCells | t12_2_Art12Polygons

Import table data | Export table data | Delete table data | Show/Hide columns | Validation filter | Restore prefilled data | Filter by value

Validations	geometry	area	year
Rows per page 10	<p>Go to 1 of 1 Total: 0 records</p>		



- **Same process** as with descriptive data. Take note of the **required QC checks**
- If the polygon geometry field size exceeds 70MB, the field value will **not be stored**. Optimize the **shape** of the feature
- File size can be up to **10GB**

geometry

42.8057697,22.9074029,42.8057875,2...

Polygon geometry field



GEO Part B - Article 05 and Additional Info II

[COUNTRY TEST] National Restoration Plans - Test dataset (Big Data)

Part B - Articles 04,05

Import dataset data | Export dataset data | Delete dataset data

Imported files | Validate | Show validations | QC rules | Dashboards | Manage copies | Refresh | Enable editing

t7_ImprHabCondGridCells | t7_ImprHabCondPolygons | t7_ReEstabHabAreaGridCells | t7_ReEstabHabAreaPolygons | t7_RestHabOfSpeciesGridCells | t7_R

Import table data | Export table data | Delete table data | Show/Hide columns | Validation filter | Restore prefilled data | Filter by value

Validations | gridcell_code | area | year | habitat_group

Rows per page 10 | 1 | Go to 1 of 1 | Total: 0 records

Separate "table" in Reportnet 3 for each combination of UF section and data category



Data category	NUTS3	GdirCell10/ GridCell1	(Multi)Polygons
Sections of the Uniform Format (UF)			
<i>ImprHabCond</i>	Art4	Art.4, Art.5	Art.4, Art.5
<i>ReEstbHabArea</i>	Art4	Art.4, Art.5	Art.4, Art.5
<i>RestHabOfSpecies</i>	Art4	Art.4, Art.5	Art.4, Art.5
<i>AddInfo_II_HabDst</i>		Art.5	Art.5



GEO Part B - Article 05 and Additional Info II

[COUNTRY TEST] National Restoration Plans - Test dataset (Big Data)

Part B - Articles 04,05

The screenshot shows the Reportnet 3 interface for a dataset. A red box highlights the 'Import dataset data' menu, which includes options like 'ZIP (.csv for each table)', 'Custom file imports', and 'Generic Import Excel (.xlsx)'. The 'Custom file imports' section is expanded, showing various 'GPKG to Polygons' and 'GPKG to GridCells' options. The table view below shows columns for 'gridcell_code', 'area', 'year', and 'habitat_group'. The table is currently empty, with 'Total: 0 records' displayed at the bottom right.

Each “table” has a specific dataset import option:

- NUTS3 – Generic Import Excel
- Grid cells – Geopackage (GPKG) to GridCells OR generic Import Excel as text
- Polygons – Geopackage (GPKG) to Polygons

Only one data category and import option is used for reporting in each table

Quality checks ensure data is only reported in one of the three tables



GEO Part B - Article 05 and Additional Info II

[COUNTRY TEST] National Restoration Plans - Test dataset (Big Data)

Part B - Articles 04,05

Import dataset data | **Export dataset data** | Delete dataset data | Imported files | Validate | Show validations | QC rules | Dashboards | Manage copies | Refresh | Enable editing

t7 ImprHabCor | t7 ReEstabHabAreaGridCells | t7 ReEstabHabAreaPolygons | t7 RestHabOfSpeciesGridCells | t7 RestHabOfSpeciesPolygons | t16 AddInfo_II_Habl

Import table data | Show/Hide columns | Validation filter | Restore prefilled data | Filter by value

gridcell_code | area | year | habitat_group

Rows per page 10 | 1 | Go to 1 of 1 | Total: 0 records



Templates which can be used for preparing the data for import are downloadable from the menu. However, it is recommended to use the extended templates per article, available on [BISE portal](#), as they incorporate the relevant code lists to use. EEA Grids are available on the EEA SDI web page.



GEO Part B - Article 12

[COUNTRY TEST] National Restoration Plans - Test dataset (Big Data)

Part B - Articles 10,11,12

Import dataset data Export dataset data Delete dataset data

Imported files Validate Show validations QC rules Dashboards Manage copies Refresh Enable editing

t12_2_Art12Nuts3 t12_2_Art12GridCells t12_2_Art12Polygons

Import table data Export table data Delete table data Show/Hide columns Validation filter Restore prefilled data Filter by value

Validations

geometry

area

year


Rows per page 10

1

Go to 1 of 1

Total: 0 records

Separate "table" in Reportnet 3 for each combination UF article and data category



Data category	NUTS3	GdirCell10/ GridCell1	(Multi)Polygons
Articles in UF			
Article 10	X	X	X
Article 11	X	X	X
Article 12	X	X	X



GEO Part B - Article 12

[COUNTRY TEST] National Restoration Plans - Test dataset (Big Data)

Part B - Articles 10,11,12

Import dataset data | Export dataset data | Delete dataset data | Imported files | Validate | Show validations | QC rules | Dashboards | Manage copies | Refresh | Enable editing

ZIP (.csv for each table)

Custom file imports

Geopackage to Polygons (.g... | Geopackage to Polygons (.gpkg) | Show/Hide columns | Validation filter | Restore prefilled data | Filter by value

Geopackage to GridCells (.g... | nuts3_id | area | year

Generic Import Excel (.xlsx)

Go to 1 of 1 | Total: 0 records

Each table has a different dataset import option:

- NUTS3 – Generic Import Excel
- Grid cells – Geopackage to GridCells OR generic Import Excel as text
- Polygons – Geopackage to Polygons

Only one data category and import option is used for reporting in each table

Quality checks ensure data is only reported in one of the three tables



GEO Part B - Article 12

[COUNTRY TEST] National Restoration Plans - Test dataset (Big Data)

Part B - Articles 10,11,12

Import dataset data | Export dataset data | Delete dataset data | Imported files | Validate | Show validations | QC rules | Dashboards | Manage copies | Refresh | Enable editing


t12_2_Art12Nuts3 | 12Polygons

Import table data | Show/Hide columns | Validation filter | Restore prefilled data | Filter by value

nuts3_id | area | year

Rows per page: 10 | 1 | Go to 1 of 1 | Total: 0 records

- ZIP (.csv for each table)
- Custom exports
 - GridCells to Geopackage (un...)
 - GridCells to Geopackage (dis...)
 - Generic Export Excel (.xlsx)



Templates which can be used for preparing the data for import are downloadable from the menu. However, it is recommended to use the extended templates per article, available on [BISE portal](#), as they incorporate the relevant code lists to use. EEA Grids are available on the EEA SDI web page.



GEO Part C

[COUNTRY TEST] National Restoration Plans - Test dataset (Big Data)

Part C - Measures

Import dataset data | Export dataset data | Delete dataset data | Imported files | Validate | Show validations | QC rules | Dashboards | Manage copies | Refresh | Enable editing

t14_5_2_MeasuresNuts3 | t14_5_2_MeasuresGridCells | t14_5_2_MeasuresPolygons

Import table data | Export table data | Delete table data | Show/Hide columns | Validation filter | Restore prefilled data | Filter by value

Validations	measure_id	nuts3_id	area
Rows per page 10	1	1	1

Go to 1 of 1 | Total: 0 records

Separate "table" in Reportnet 3 for data category
Multiple measures can be reported per table



Data category	NUTS3	GdirCell10/ GridCell1	(Multi)Polygons
Part C in UF			
Measures 1 to N	X	X	X



GEO Part C

[COUNTRY TEST] National Restoration Plans - Test dataset (Big Data)

Part C

Import dataset data | Export dataset data | Delete dataset data | Imported files | Validate | Show validations | QC rules | Dashboards | Manage copies | Refresh | Enable editing

t14_5_2_MeasuresNuts3 | t14_5_2_MeasuresGridCells | t14_5_2_MeasuresPolygons

Import table data | Export table data | Delete table data | Show/Hide columns | Validation filter | Restore prefilled data | Filter by value

Validations	measure_id	nuts3_id	area
Total: 0 records			

Rows per page: 10 | Go to 1 of 1

For reporting on Part C:

- Countries can submit geospatial data in one or more of the three tables, providing that **one measure (from descriptive Part C) is reported only in one data category.**
- Quality checks ensure each measure is only reported once between the three tables
- The same file export/import file options are provided as with Part B
- NB: Because of the mixed options reporters should take care to not overwriting data in file import



GEO Part C

[COUNTRY TEST] National Restoration Plans - Test dataset (Big Data)

Part C

Import dataset data | Export dataset data | Delete dataset data | Imported files | Validate | Show validations | QC rules | Dashboards | Manage copies | Refresh | Enable editing

ZIP (.csv for each table)

Custom file imports

- Geopackage to GridCells (.g... | Geopackage to GridCells (.gpkg) | Show/Hide columns | Validation filter | Restore prefilled data | Filter by value
- Generic Import Excel (.xlsx)
- Geopackage to Polygons (.g...

measure_id	nuts3_id	area
1		

Go to 1 of 1 | Total: 0 records

Each table has a different dataset import option:

- NUTS3 – Generic Import Excel
- Grid cells – Geopackage to GridCells OR generic Import Excel as text
- Polygons – Geopackage to Polygons



GEO Part C

[COUNTRY TEST] National Restoration Plans - Test dataset (Big Data)

Part C

Import dataset data | Export dataset data | Delete dataset data | Imported files | Validate | Show validations | QC rules | Dashboards | Manage copies | Refresh | Enable editing

t14_5_2_MeasuresNuts3 | t14_5_2_MeasuresPolygons

Import table data | Show/Hide columns | Validation filter | Restore prefilled data | Filter by value

measure_id	nuts3_id	area
Total: 0 records		

Rows per page: 10

Generic Export Excel (.xlsx)



Templates which can be used for preparing the data for import are downloadable from the menu. However, it is recommended to use the extended templates per article, available on [BISE portal](#), as they incorporate the relevant code lists to use. EEA Grids are available on the EEA SDI web page.

Geospatial QCs and challenges

- **Basic checks of format consistency and topology**
 - Geometry checks for:
 - expected syntax for a valid multi-polygon
 - supported coordinate reference system
 - valid geometry of multi-polygon
 - Geometry is inside the reporting country
- **Consistency checks with descriptive data**
 - reported values in the geospatial data are found in the descriptive data
 - uniqueness within/between the table(s)
 - only one data category and import option is used for a table
- **Constraints on attribute values**
 - [area] value reported less than geometric area (grid cell or polygon)
 - [gridcell_code] value from the Reference table countryCode

Correct geospatial data

NUTS3




no geometry,
only NUTS3 IDs

10x10 GRID





Multi-polygons



measure_id	nuts3_id	nuts3_id_refLabel	area
BGMEAS-ALFA	nuts2024.BG311	VIDIN	780
BGMEAS-ALFA	nuts2024.BG312	MONTANA	432
BGMEAS-ALFA	nuts2024.BG341	BURGAS	560
BGMEAS-ALFA	nuts2024.BG324	RAZGRAD	43
BGMEAS-BRAVO	nuts2024.BG332	DOBRICH	77
BGMEAS-BRAVO	nuts2024.BG344	STARA ZAGORA	43
BGMEAS-BRAVO	nuts2024.BG411	SOFIA (STOLITSA)	78
BGMEAS-CHARLIE	nuts2024.BG314	PLEVEN	21
BGMEAS-DELTA	nuts2024.BG333	SHUMEN	90
BGMEAS-ECHO	nuts2024.BG334	TARGOVISHTE	65
BGMEAS-FOXTROT	nuts2024.BG343	YAMBOL	30
BGMEAS-ECHO	nuts2024.BG343	YAMBOL	46

measure_id	gridcell_code	area
BGMEAS-ALFA1	10kmE552N229	5
BGMEAS-ALFA1	10kmE552N230	7
BGMEAS-ALFA1	10kmE552N231	2
BGMEAS-BRAVO1	10kmE553N229	2
BGMEAS-BRAVO1	10kmE553N230	1
BGMEAS-BRAVO1	10kmE553N231	5
BGMEAS-CHARLIE1	10kmE554N229	7
BGMEAS-CHARLIE1	10kmE554N230	6
BGMEAS-CHARLIE1	10kmE554N231	8
BGMEAS-CHARLIE1	10kmE555N229	8
BGMEAS-CHARLIE1	10kmE555N230	9
BGMEAS-DELTA1	10kmE555N231	10
BGMEAS-OMEGA3	10kmE556N238	4
BGMEAS-OMEGA3	10kmE556N239	3
BGMEAS-ZETTA4	10kmE557N238	2
BGMEAS-ZETTA5	10kmE557N239	1
BGMEAS-CHARLIE1	10kmE557N238	2

geometry	measure_id	area
1	BGMEAS-CHARLIE3	8150
2	BGMEAS-FOXTROT4	4671



overlaps between
polygons are allowed

Incorrect geospatial data

NUTS3


measure_id	nuts3_id	nuts3_id_refLabel	area
ITMEAS-ALFA	nuts2024.BG311	VIDIN	780
BGMEAS-ALFA	nuts2024.BG312	MONTANA	-432
BGMEAS-ALFA	nuts2024.ITI43	ROMA	560
BGMEAS-ALFA	nuts2024.BG324	RAZGRAD	43
BGMEAS-BRAVO	nuts2024.BG332	DOBRICH	77
BGMEAS-BRAVO	nuts2024.BG332	DOBRICH	77
BGMEAS-BRAVO	nuts2024.BG411	SOFIA (STOLITSA)	78
BGMEAS-CHARLIE	nuts2024.BG314	PLEVEN	21
BGMEAS-DELTA	nuts2024.BG333	SHUMEN	90
BGMEAS-ECHO	nuts2024.BG334	TARGOVISHTE	65
BGMEAS-FOXTROT	nuts2024.BG343	YAMBOL	30
BGMEAS-ECHO	nuts2024.BG343	YAMBOL	46

measure_id	gridcell_code	area
ITMEAS-ALFA1	10kmE552N229	5
BGMEAS-ALFA1	10kmE552N230	-7
BGMEAS-ALFA1	10kmE552N231	2
BGMEAS-BRAVO1	10kmE433N240	2
BGMEAS-BRAVO1	10kmE553N230	1
BGMEAS-BRAVO1	10kmE553N230	1
BGMEAS-CHARLIE1	10kmE554N229	7
BGMEAS-CHARLIE1	10kmE554N230	6
BGMEAS-CHARLIE1	10kmE554N231	8
BGMEAS-CHARLIE1	10kmE555N229	8
BGMEAS-CHARLIE1	10kmE555N230	9
BGMEAS-DELTA1	10kmE555N231	12
BGMEAS-OMEGA3	10kmE556N238	4
BGMEAS-OMEGA3	10kmE556N239	3
BGMEAS-ZETTA4	10kmE557N238	2
BGMEAS-ZETTA5	10kmE557M239	1
BGMEAS-ZETTA7	10kmE557N238	2
BGMEAS-ECHO	10kmE556N239	3


10x10 GRID



Multi-polygons




geometry	measure_id	area
1	ITMEAS-CHARLIE3	8150
2	ITMEAS-CHARLIE3	-4671
3	BGMEAS-ECHO	4671




In Italy




Specific implementations



EEA-10km GRID
10kmE557N238



Combination of different EEA grids



2 multi-polygons with more than 500 single geometries

EEA-1km GRID
1kmE5576N2383


The case of invalid geometry

missing geometry, dangle nodes, self-intersections



GEOSPATIAL

t6_ImprHabCondPolygons

geometry	area	year	habitat_group
Coords 41.5817642,24.5924395,... EPSG: WGS84 - 4326	876	2030	Art4_group_5
Coords 42.0610932,23.9053484,... EPSG: WGS84 - 4326	467	2030	Art4_group_3



Issue displayed in Reportnet 3



Hovering message, providing information on the type of issue and its location in LatLon

Different geometry issues

Too few distinct points

Reportnet 3 > Dataflows > Dataflow > Test datasets > Dataset

GEO Part B - Article 04
[COUNTRY TEST] National Restoration Plans - Test dataset (Big Data)


Imported files Validate Show validations QC rules Dashboards Manage copies Refresh Enable editing

t6_ImprHabCondNuts3 t6_ImprHabCondGridCells t6_ImprHabCondPolygons t6_ReEstabHabAreaNuts3 t6_ReEstabHabAreaGridCells t6_Re

Import table data Export table data Delete table data Show/Hide columns Validation filter Geometry is not... Restore prefilled data

Validations	geometry	area	year	species_group_id
● ▲	42.5928823,23.870408,42.5928594...	- Geometry is not valid. Reason: Too few distinct points in geometry component [22.9069917 42.8514566]	DUP_01	
● ▲	42.9393095,23.0697994,42.939016...	10.550635132705443	2030	WETLANDSPECIES-GROUP1

Rows per page 10 of 1 of 1 Filtered: 2 | Total: 3 records



Ring self-intersection

Reportnet 3 > Dataflows > Dataflow > Test datasets > Dataset

GEO Part B - Article 04
[COUNTRY TEST] National Restoration Plans - Test dataset (Big Data)

Imported files Validate Show validations QC rules Dashboards Manage copies Refresh Enable editing

t6_ImprHabCondNuts3 t6_ImprHabCondGridCells t6_ImprHabCondPolygons t6_ReEstabHabAreaNuts3 t6_ReEstabHabAreaGridCells t6_Re

Import table data Export table data Delete table data Show/Hide columns Validation filter Geometry is not... Restore prefilled data

Validations	geometry	area	year	species_group_id
● ▲	42.5928823,23.870408,42.5928594...	16.03089556909561	2030	BIRDS_GROUP_01
● ▲	42.9393095,23.0697994,42.939016...	- Geometry is not valid. Reason: Ring Self-intersection [23.4063007 42.3807455]		SPECIES-GROUP1

Rows per page 10 of 1 of 1 Filtered: 2 | Total: 3 records



Reporting invalid geometries

It will be difficult to handle and correct the geometry issues in Reportnet3
 Check and correct geometries in your local GIS environment before importing

Two multi-polygons with 5 invalid geometries

Imported as multi-parts

The validation report

Entity	Table	Field	Code	Severity Level	Message	Number of records
FIELD	t6_RestHabOfSpeciesPolygons	geometry	FT62	BLOCKER	Geometry is not valid. Reason: <reason>	2
FIELD	t6_RestHabOfSpeciesPolygons	species_group_id	TC108	BLOCKER	The value is not a valid member of the referenced list.	1

Only two issues reported

Import dataset data | Export dataset data | Delete dataset data

Imported files | Validate | Show validations | QC rules | Dashboards | Manage copies | Refresh | Enable editing

t6 ImprHabCondNuts3 | t6 ImprHabCondGridCells | t6 ImprHabCondPolygons | t6 ReEstabHabAreaNuts3 | t6 ReEstabHabAreaGridCells | t6 ReE

Validations	geometry	area	year	species_group_id
⊖	42.8057697,22.9074029,42.805787...	15	2030	BIRDS_GROUP_01
⊖	42.7872148,22.92428,42.7874794,...	8	2040	WETLANDSPECIES-GROUP1

Rows per page 10 | Go to 1 of 1 | Total: 2 records (filtered)

Imported as single-parts

A filtered list with the invalid geometries

Entity	Table	Field	Code	Severity Level	Message	Number of records
FIELD	t6_ReEstabHabAreaPolygons	habitat_group	FC91	BLOCKER	The value must not be missing or empty	1000+
FIELD	t6_ReEstabHabAreaPolygons	geometry	FT44	BLOCKER	Geometry is not valid. Reason: <reason>	5

All five issues reported

Import table data | Export table data | Delete table data | Show/Hide columns | Validation filter | Geometry is not...

Restore prefiltered data

Filter by value

Validations	geometry	area	year	habitat_group
⊖ ⊕	42.8522473,22.9036032,42.8522518,...	15	2030	
⊖	43.0274612,23.9287517,43.027577,2...	8	2040	
⊖ ⊕	42.9457836,23.6855362,42.9457775,...	15	2030	
⊖	42.3799151,23.405711,42.3807455,2...	8	2040	
⊖ ⊕	43.0508627,23.1425222,43.0509453,...	15	2030	

Rows per page 10 | Go to 1 of 1 | Filtered: 5 | Total: 1646 records

Cross-table consistency


Import and validate of the related descriptive data, before the geospatial one

The reported attribute values in the geospatial data should relate to values in the descriptive data

t6_2_2_ImprHabCond2030

DESCRIPTIVE	habitat_group_restoration	habitat_type_restoration	area_restoration_2030_best	area_restoration_2030_min	area_restoration_2030_max

There are no records in the reference table



t6_ImprHabCondGridCells

GEOSPATIAL	gridcell_code	area	year	habitat_group
	10kmE552N229	1.5	2030	Art4_group_5
	10kmE553N229	1.2	2030	Art4_group_3

Frequently Asked Questions to the NRR Helpdesk

Helpdesk questions as potential FAQs

Question: We have more detailed national NUTS3, can we use them instead of EEA ones?

Answer: Reporting is not based on NUTS3 geometries; it is tabular, based on NUTS3 IDs. The QC that verify the location of the polygons within the country uses EEA NUTS0 with buffer to ensure proper handling of potential border issues.

Question: Field A 3.4. on page 44 requires to select either “city” or “town and suburbs” as the “Degree of urbanization of the UEA”. Can we select both?


Answer: Yes. This option is foreseen in the Art.8 Data Model

Please provide your questions through the Helpdesk. We will be happy to answer 😊

Check the updated reporting manual

[How to use Reportnet 3 for reporting national restoration plan testing phase Feb 2026 final.pdf](#)

Try the dummy example in zipfile (2026-02-04_delivery_geospatial.zip, available in “Supporting documents” of Reportnet 3 Help



Questions & Answers

Questions posted during webinar

Question: The gpkg is OK, but the matching table HALE import process is much too complicated. Why dont You program the process and prepare plug and play tools to create the gpkg?

Answer:

Thanks for the suggestion. We take note, but it would not be feasible to set up such tool for this dataflow. Maybe, we could exchange bilaterally which part of the import process is challenging. We assumed the GPKG structure we have envisaged is relatively simple and we have not found any major issues during testing.

We could share more details on how to define the GPKG file in QGIS for example, as Ludvig just presented, in an upcoming webinar.

Maybe you can try to use example of dummy data in the ZIP we provided in the 'support documents' in the 'dataflow help' of RN3, and let us know your feedback.

Questions posted during webinar

Question: How should one proceed if it is not precisely predictable within a polygon where quality improvement will take place and where re-establishment will occur? Is it possible to plan measures for which the geometry is not determined (Art. 4)?

Answer:

In the case where it is not possible to be precise, the polygon can be expanded to include the general area for which the improvement/re-establishment will take place.

Note the definition of the *area* attribute, to be included in the Geopackage, in this regard. The area can be smaller than the area of the polygon itself. Thus, a larger polygon can be drawn, containing the general location, and the *area* attribute specifies the true area of the quality improvement/re-establishment represented by the polygon. This is the intended use of the *area* attribute for grid cells and NUTS3 as well. See slide 17 above.

Questions posted during webinar

Question: The EU COPERNICUS EEA-10 DEM INSP dataset is about 15 years old. Will You get updated elevation data for 10x10 DEM Hungary?

Answer:

Indeed, the 10-meter [Copernicus DEM](#), published in 2019, is compiled of TanDEM-x data acquired between 2011 and 2015. Thus, data is 11-15 years old depending on location in Europe. We are working together with our Copernicus colleagues to explore if such a recommendation can be done. However, the Copernicus DEM is primarily acquired for the Copernicus Programme and its needs for processing Earth Observation data.

Access to the **10m resolution** instances over Europe **is limited** to a specific subset of users, as outlined in the [ESA-User license for the use of CCM](#) data and [CCM Data Access Restrictions](#).

Questions posted during webinar

Question: Could you please remind us about the deadlines: how long the NRP test dataflow will be available? We would highly appreciate if you could keep it open until the official NRR dataflow will be launched.

Answer:

The Member States are invited to continue **testing and providing feedback by 6 March 2026**.

After this date, we would need to evaluate your input and prepare the official dataflow.

The test dataflow will anyway remain available in Reportnet 3 during the intermediate period to support you with data preparation.

Questions posted during webinar

Question: Just a clarification regarding Annex 7 Geospatial Data Categories: some of the fields that are optional are marked as such, but others that are also optional are not marked, which can be a little confusing

Answer:

Indeed, and sorry for the confusion. The table is not meant to give an overview of the conditionality, but an overview of the options of the Geospatial data categories and how we bundle them into RN3 tables. For clear reference, the descriptions were copied from the Uniform Format, and the '*optional*' present in some of the text fields should have been removed. Will be updated in the next version of the manual.

Questions posted during webinar

Question: A lot of our measures have a national scale of planning. Is it then ok if all of the NUTS3-areas for the country are specified for table t12_2_Art12Nuts3 for example?

Answer:

Yes, it is possible and it is also the expected use of the table. NUTS3 are aggregations, so they should include the total area of the specific measure within.

Thank you!

nature.restoration.helpdesk@eea.europa.eu